

F402 25 A30



F402 25 A30 Residual Current Circuit Breaker



General Information

Extended Product Type	F402 25 A30
Product ID	2CSF502110R1250
EAN	8012542034339
Catalog Description	F402 25 A30 Residual Current Circuit Breaker
Long Description	The RCCBs F400 series assures protection to people and fast installation thanks to its plug-in contacts. SMISLINE TP residual current devices can be replaced easily without any tool and without disconnecting the supply

Ordering

EAN	8012542034339
Minimum Order Quantity	1 piece
Customs Tariff Number	85363030

Dimensions

Product Net Width	0.035 m
Product Net Height	0.085 m
Product Net Depth / Length	0.069 m
Product Net Weight	0.200 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.041 m
Package Level 1 Height	0.078 m
Package Level 1 Depth / Length	0.096 m
Package Level 1 Gross Weight	0.225 kg
Package Level 1 EAN	8012542034339

Additional Information

Number of Poles	2
Operating Characteristic	Instantaneous
Power Loss	at Rated Operating Conditions per Pole 1.0 W
Product Main Type	F400

Product Name	Residual Current Circuit Breaker
Rated Current (I_n)	25 A
Rated Frequency (f)	50...60 Hz
Rated Residual Current	30 mA
Standards	EN 61008
Type of Residual Current	A type

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CCC451063C0101
Declaration of Conformity - CE	2CSC424001D2701
Instructions and Manuals	2CCC451032M0107

Classifications

ETIM 4	EC000003 - Residual current circuit breaker (RCCB)
ETIM 5	EC000003 - Residual current circuit breaker (RCCB)
ETIM 6	EC000003 - Residual current circuit breaker (RCCB)
ETIM 7	EC000003 - Residual current circuit breaker (RCCB)
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Plug-in Distribution Systems

