


Quetsch-Ring Kabelschuhe ohne Isolation DIN 46234

- Werkstoff: 99,9% Elektrolyt-Kupfer
- Oberfläche: verzinkt
- Ringform



Cu



Art. Nr.	LQ	M	d2	d1	A	GL	B	kg/100	VE	
290619	0,5-1,0	2,5	2,6	1,95	5,2	17,25	8,0	0,056	100	
290620		3	3,2	1,95	5,2	17,25	8,0	0,055	100	
290621		3,5	3,7	1,95	5,2	17,25	8,0	0,039	100	
290622		4	4,2	1,95	5,2	16,65	8,0	0,065	100	
290624		5	5,2	1,95	5,2	17,25	8,0	0,082	100	
290623		6	6,2	1,95	5,2	18,5	10,0	0,091	100	
290625		8	8,2	1,95	5,2	25,0	14,0	0,121	100	
290617		10	10,5	1,95	5,2	25,0	14,0	0,178	100	
290626		1,5-2,5	3	3,2	2,45	5,2	17,25	8,0	0,065	100
290627			3,5	3,7	2,45	5,2	17,25	8,0	0,058	100
290628	4		4,2	2,45	5,2	17,25	8,0	0,076	100	
290630	5		5,2	2,45	5,2	20,0	10,0	0,097	100	
290632	6		6,2	2,45	5,2	22,0	11,0	0,110	100	
290634	8		8,2	2,45	5,2	26,8	15,0	0,132	100	
290635	10		10,5	2,45	5,2	26,8	15,0	0,138	100	
290646	6	5	5,3	3,6	6,0	15,0	10,0	0,157	100	
290648		6	6,5	3,6	6,0	16,0	11,0	0,166	100	
290650		8	8,4	3,6	6,0	19,0	14,0	0,214	100	
290652		10	10,5	3,6	6,0	21,0	18,0	0,281	100	
290654		12	13,0	3,6	6,0	21,0	18,0	0,219	100	
290656		10	5	5,3	4,5	8,0	16,0	10,0	0,216	100
290658	6		6,4	4,5	8,0	17,0	11,0	0,227	100	
290660	8		8,4	4,5	8,0	20,0	14,0	0,280	100	
290662	10		10,5	4,5	8,0	21,0	18,0	0,339	100	
290663	12		13,0	4,5	8,0	23,0	22,0	0,300	100	
290664	16		5	5,3	5,8	10,0	20,0	10,0	0,353	100
290666		6	6,4	5,8	10,0	20,0	11,0	0,362	100	
290668		8	8,4	5,8	10,0	22,0	14,0	0,404	100	
290670		10	10,5	5,8	10,0	24,0	18,0	0,477	100	
290672		12	13,0	5,8	10,0	26,0	22,0	0,565	100	
290676		25	6	6,4	7,5	11,0	25,0	12,0	0,706	50
290678	8		8,4	7,5	11,0	25,0	16,0	0,776	50	
290680	10		10,5	7,5	11,0	26,0	18,0	0,764	50	
290682	12		13,0	7,5	11,0	31,0	22,0	0,886	50	
290684	16		17,0	7,5	11,0	35,0	28,0	1,190	50	
290686	35		8	8,4	9,0	12,0	26,0	16,0	0,896	50
290688		10	10,5	9,0	12,0	27,0	18,0	0,900	50	
290690		12	13,0	9,0	12,0	31,0	22,0	1,000	50	
290692		16	17,0	9,0	12,0	36,0	28,0	1,400	50	
290694	50	8	8,4	11,0	16,0	34,0	18,0	1,600	40	
290696		10	10,5	11,0	16,0	34,0	18,0	1,600	40	
290698		12	13,0	11,0	16,0	36,0	22,0	1,700	40	
290700		16	17,0	11,0	16,0	40,0	28,0	2,000	25	
290701	70	8	8,4	13,0	18,0	38,0	22,0	2,500	25	
290702		10	10,5	13,0	18,0	38,0	22,0	2,500	25	
290704		12	13,0	13,0	18,0	38,0	22,0	2,400	20	
290707	95	8	8,4	15,0	20,0	42,0	24,0	3,800	20	
290708		10	10,5	15,0	20,0	42,0	24,0	3,800	20	
290710		12	13,0	15,0	20,0	42,0	24,0	3,700	20	
290712		16	17,0	15,0	20,0	44,0	28,0	3,900	20	
290713	120	10	10,5	16,5	22,0	44,0	24,0	5,200	25	
290714		12	13,0	16,5	22,0	44,0	24,0	5,200	25	
290716		16	17,0	16,5	22,0	48,0	28,0	6,200	25	
290717		20	21,0	16,5	22,0	53,0	32,0	5,900	25	
290719	150	10	17,0	19,0	24,0	50,0	30,0	7,500	25	
290721		12	13,0	19,0	24,0	50,0	30,0	7,400	25	
290718		16	10,5	19,0	24,0	50,0	30,0	6,800	25	
290720	185	16	17,0	21,0	25,0	50,0	36,0	9,400	20	