

M-LINE KUNSTSTOFFABDECKUNGEN

Vier verschiedene Formen von hochwertigen Kunststoffabdeckungen stehen zur Verfügung:

- plane Abdeckung
- ovale Abdeckung
- halbrunde Abdeckung
- eckige Abdeckung

Jede der vier Formen ist in folgenden Varianten erhältlich:

- glasklar
- frost (halbkklar)
- milchig frost (opal)
- **schwarz**

Die plane Abdeckung (FLAT) ist auch als begehbare und bruchfeste Variante (BREAK-PROOF) in glasklar, frost, milchig frost (opal) erhältlich.

LENS COVER 45°

Mit dem LENS COVER wird eine Bündelung und somit ein engerer Abstrahlwinkel erzeugt. Je nach Abstand zwischen FLEX STRIP und LENS COVER ist der Abstrahlwinkel max. 45°.


























Nicht kompatibel mit PROFIL M-LINE: STANDARD, STANDARD 24, REC, REC24, GRID, EDGE, 3W, CIRCLE


























Alle PROLED Aluminiumprofile, Kunststoffabdeckungen und Endkappen sind durch Gemeinschaftsgeschmacksmuster (internationale Designpatente) geschützt.



> [BESTELLBEISPIEL SONDERLÄNGEN](#)

PRODUKTTYPEN

Artikel-Nr.	Bezeichnung	Länge	
L690S3C	PLASTIC COVER M-LINE FLAT CLEAR	2 m	
L690S3CX	PLASTIC COVER M-LINE FLAT CLEAR	3 m	

Artikel-Nr.	Bezeichnung	Länge	
L690S3CY	PLASTIC COVER M-LINE FLAT CLEAR	5 m	
L690S3CZ	PLASTIC COVER M-LINE FLAT CLEAR	lfm (max. 5 m)*	
L690S3F	PLASTIC COVER M-LINE FLAT FROST	2 m	
L690S3FX	PLASTIC COVER M-LINE FLAT FROST	3 m	
L690S3FY	PLASTIC COVER M-LINE FLAT FROST	5 m	
L690S3FZ	PLASTIC COVER M-LINE FLAT FROST	lfm (max. 5 m)*	
L690S3M	PLASTIC COVER M-LINE FLAT MILKY (OPAL)	2 m	
L690S3MX	PLASTIC COVER M-LINE FLAT MILKY (OPAL)	3 m	
L690S3MY	PLASTIC COVER M-LINE FLAT MILKY (OPAL)	5 m	
L690S3MZ	PLASTIC COVER M-LINE FLAT MILKY (OPAL)	lfm (max. 5 m)*	
L690S3CB	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION CLEAR	2 m	
L690S3CBX	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION CLEAR	3 m	
L690S3CBY	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION CLEAR	5 m	
L690S3CBZ	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION CLEAR	lfm (max. 5 m)*	
L690S3FB	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION FROST	2 m	
L690S3FBX	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION FROST	3 m	
L690S3FBY	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION FROST	5 m	
L690S3FBZ	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION FROST	lfm (max. 5 m)*	
L690S3MB	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION MILKY (OPAL)	2 m	
L690S3MBX	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION MILKY (OPAL)	3 m	
L690S3MBY	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION MILKY (OPAL)	5 m	
L690S3MBZ	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION MILKY (OPAL)	lfm (max. 5 m)*	
L690V4C	PLASTIC COVER M-LINE OVAL CLEAR	2 m	
L690V4CX	PLASTIC COVER M-LINE OVAL CLEAR	3 m	
L690V4CZ	PLASTIC COVER M-LINE OVAL CLEAR	lfm (max. 3 m)*	

Artikel-Nr.	Bezeichnung	Länge	
L690V4F	PLASTIC COVER M-LINE OVAL FROST	2 m	
L690V4FX	PLASTIC COVER M-LINE OVAL FROST	3 m	
L690V4FZ	PLASTIC COVER M-LINE OVAL FROST	lfm (max. 3 m)*	
L690V4M	PLASTIC COVER M-LINE OVAL MILKY (OPAL)	2 m	
L690V4MX	PLASTIC COVER M-LINE OVAL MILKY (OPAL)	3 m	
L690V4MZ	PLASTIC COVER M-LINE OVAL MILKY (OPAL)	lfm (max. 3 m)*	
L690R2C	PLASTIC COVER M-LINE ROUND CLEAR	2 m	
L690R2CX	PLASTIC COVER M-LINE ROUND CLEAR	3 m	
L690R2CZ	PLASTIC COVER M-LINE ROUND CLEAR	lfm (max. 3 m)*	
L690R2F	PLASTIC COVER M-LINE ROUND FROST	2 m	
L690R2FX	PLASTIC COVER M-LINE ROUND FROST	3 m	
L690R2FZ	PLASTIC COVER M-LINE ROUND FROST	lfm (max. 3 m)*	
L690R2M	PLASTIC COVER M-LINE ROUND MILKY (OPAL)	2 m	
L690R2MX	PLASTIC COVER M-LINE ROUND MILKY (OPAL)	3 m	
L690R2MZ	PLASTIC COVER M-LINE ROUND MILKY (OPAL)	lfm (max. 3 m)*	
L690S1C	PLASTIC COVER M-LINE SQUARE CLEAR	2 m	
L690S1CX	PLASTIC COVER M-LINE SQUARE CLEAR	3 m	
L690S1CZ	PLASTIC COVER M-LINE SQUARE CLEAR	lfm (max. 3 m)*	
L690S1F	PLASTIC COVER M-LINE SQUARE FROST	2 m	
L690S1FX	PLASTIC COVER M-LINE SQUARE FROST	3 m	
L690S1FZ	PLASTIC COVER M-LINE SQUARE FROST	lfm (max. 3 m)*	
L690S1M	PLASTIC COVER M-LINE SQUARE MILKY (OPAL)	2 m	
L690S1MX	PLASTIC COVER M-LINE SQUARE MILKY (OPAL)	3 m	
L690S1MZ	PLASTIC COVER M-LINE SQUARE MILKY (OPAL)	lfm (max. 3 m)*	
L690L45C	PLASTIC COVER M-LINE LENS 45° CLEAR	2 m	

Artikel-Nr.	Bezeichnung	Länge	
L690L45CX	PLASTIC COVER M-LINE LENS 45° CLEAR	3 m	
L690L45CZ	PLASTIC COVER M-LINE LENS 45° CLEAR	lfm (max. 3 m)*	

*Zuschnitt nach Maß